

SAFETY DATA SHEET

ProChemOnline.com



SECTION 1 PRODUCT AND COMPANY INFORMATION

PRODUCT NAME: Europium (III) Oxalate Hydrate

PRODUCT NUMBER: 1786

CAS NUMBER: 304675-55-6

SYNONYMS: Europium Oxalate, Oxalic acid, Europium salt

MANUFACTURER:

 Prochem, Inc.
 PHONE:
 815-398-1788

 826 Roosevelt Road
 FAX:
 815-398-1810

 Rockford, IL 61109
 TOLL FREE:
 800-795-8788

IN CASE OF TRANSPORTATION EMERGENCY CONTACT CHEM-TREC: 1-800-424-9300

SECTION 2 HAZARDS IDENTIFICATION

CLASSIFICATION OF SUBSTANCE OR MIXTURE

Pictogram

!>

Signal Word Warning

Hazard Statements

Harmful if swallowed or in contact with skin

Precautionary Phrases

P270	Do not eat, drink, or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P363	Wash contaminated clothing before reuse.

HMIS CLASSIFICATION:

Health: 1 Fire: 0 Reactivity Hazard: 0

NFPA RATING:

Health: 1 Flammability: 0 Reactivity Hazard: 0

EYE CONTACT: May cause moderate to severe irritation of the eyes. **SKIN CONTACT:** May cause moderate to severe irritation of the skin.

INHALATION: May be severely irritating to the nose, mucous membranes, and respiratory tract.

INGESTION: Ingestion may cause vomiting, pain, violent muscular stimulation, convulsions, collapse, and death.

CHRONIC HEALTH EFFECTS: Prolonged exposure to oxalates can lead to kidney failure resulting from calcium oxalate precipitation in

renal tubes.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Formula: $Eu_2(C_2O_4)_3 \bullet XH_2O$

Molecular Weight: 567.99

CHEMICAL NAME	CAS#	%
Europium (III) Oxalate Hydrate	304675-55-6	100

SECTION 4 FIRST AID MEASURES

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

SKIN EXPOSURE: Wash affected area with plenty of water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove to fresh air and keep at rest. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases, seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 FIREFIGHTING MEASURES

FLASH POINT: Not available

AUTO IGNITION TEMPERATURE: Not available

EXPLOSION LIMITS: Not available

EXTINGUISHING MEDIUM: Use carbon dioxide, extinguishing powder, or water spray.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained, approved breathing apparatus and full protective clothing,

including eye protection and boots.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: Carbon oxides and europium oxide.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Wear all appropriate equipment when using this material. Ensure adequate ventilation. Avoid dust formation. Avoid breathing dust.

ENVIRONMENTAL PRECAUTIONS: Prevent spillage from entering drains or allowing to be released into the environment.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP: Mix spills with vermiculite or sodium carbonate. Sweep up and place in suitable container for proper disposal.

SECTION 7 HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Wear appropriate personal protective equipment. Ensure adequate ventilation. Keep away from heat and moisture.

CONDITIONS FOR SAFE STORAGE: Store in cool, dry, and well-ventilated area.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

EXPOSURE CONTROLS: Contains no substances with occupational exposure limits.

EYE PROTECTION: Wear chemical safety glasses or goggles and face shield.

SKIN PROTECTION: Wear nitrile or rubber gloves, and a complete suit protecting against chemicals.

VENTILATION: Provide local exhaust, preferably mechanical.

RESPIRATOR: Use an approved respirator.

ADDITIONAL PROTECTION: Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and

handling.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

COLOR AND FORM: White powder

ODOR: None

MOLECULAR WEIGHT: 567.99
BOILING POINT: No data available
MELTING POINT: Decomposes
SPECIFIC GRAVITY: Not available
VAPOR DENSITY: No data available

SOLUBILITY: Soluble

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: None

INCOMPATIBILITY: Strong oxidizing agents

DECOMPOSITION PRODUCTS: Carbon oxides and europium oxide

SECTION 11 TOXICOLOGICAL DATA

ACUTE TOXICITY: Not available

CARCINOGENIC EFFECTS: No components of this product present at levels greater than or equal to 0.1% is considered a carcinogen.

MUTAGENIC EFFECTS: Not available
TETRATOGENIC EFFECTS: Not available

CHRONIC TOXICITY: Not available

RTECS: No data

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 ECOLOGICAL DATA

No information available

SECTION 13 DISPOSAL CONSIDERATIONS

Dispose of in according to local, state, and federal regulations.

SECTION 14 TRANSPORTATION DATA

Not a dangerous good

SECTION 15 REGULATORY INFORMATION

TSCA: Not listed

SARA 302/304: Not Listed

SARA 311/312: Acute Health Hazard SARA (TITLE 313): Not listed CALIFORNIA PROP. 65: Not Listed

MASSACHUSETTS RIGHT TO KNOW COMPONENTS: No components are subject to the Massachusetts Right to Know Act.

NEW JERSEY RIGHT TO KNOW COMPONENTS: Europium (III) Oxalate Hydrate PENNSYLVANIA RIGHT TO KNOW COMPONENTS: Europium (III) Oxalate Hydrate

SECTION 16 OTHER INFORMATION

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, Prochem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 02/15

SDS DEPT.